

SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



SL20MDLLEDM283040



SL20MDGLEDM283040BRT



SL20MDLLEDM283040BRT
with FA135MD (Eyebrow)

CATALOG ORDER LOGIC

EXAMPLE: SL20MDGNLMBAB

FIXTURE

SL Specialty Light

SERIES

20

SIZE

MD Medium

OPTIONS

- ☐ L Lens Holder
☐ G Grate

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ NLMR16	~	GU10	~	~	~
☐ NL120V	~	E26 Medium Base	~	~	~
☐ L144 (PAR20)	8w	E26 Medium Base	15°	3000K	600lm
☐ L146 (PAR20)	8w	E26 Medium Base	36°	3000K	600lm

120-277 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L140 (PAR20)	8w	E26 Medium Base	15°	3000K	600lm
☐ L142 (PAR20)	8w	E26 Medium Base	36°	3000K	600lm

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L152 (PAR30)	10w	E26 Medium Base	15°	3000K	1000lm
☐ L154 (PAR30)	10w	E26 Medium Base	36°	3000K	1000lm

120-277 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L148 (PAR30)	10w	E26 Medium Base	15°	3000K	600lm
☐ L150 (PAR30)	10w	E26 Medium Base	36°	3000K	600lm

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L152 (PAR38)	15w	E26 Medium Base	15°	3000K	1350lm
☐ L154 (PAR38)	15w	E26 Medium Base	36°	3000K	1350lm

120-277 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L156 (PAR38)	10w	E26 Medium Base	15°	3000K	1350lm
☐ L158 (PAR38)	10w	E26 Medium Base	36°	3000K	1350lm

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
☐ L106 (MR16)	3w	GU10	15°	2700K	270lm
☐ L108 (MR16)	3w	GU10	36°	2700K	270lm
☐ L110 (MR16)	3w	GU10	80°	2700K	270lm
☐ L114 (MR16)	5w	GU10	15°	2700K	450lm
☐ L116 (MR16)	5w	GU10	36°	2700K	450lm
☐ L118 (MR16)	5w	GU10	80°	2700K	450lm
☐ L124 (MR16)	7w	GU10	15°	2700K	550lm
☐ L126 (MR16)	7w	GU10	36°	2700K	550lm
☐ L128 (MR16)	7w	GU10	80°	2700K	550lm

INTERNAL OPTIONS


- ☐ AB Aiming Bracket (To be used with Medium Base version)

FINISH (standard finishes listed)

- ☐ BRT (Aluminum- Bronze Texture)
☐ BLT (Aluminum- Black Texture)
☐ BRS (Unfinished- Brass)
Premium and Acid Finishes (See page 4 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)



FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown with Lens Holder

Place 3in Minimum Above Grade




Dimensions Shown with Grate

Place 3in Minimum Above Grade



FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:	TYPE:	DATE:
CATALOG NUMBER:		

SPECIFICATIONS

INTERNALS	VOLTAGE	120v / 120v-277v
	WATTAGE	MR16 (3w, 5w, 7w) PAR20 (8w) PAR30 (10w) PAR38 (15w)
	LED	PAR20: (L140[120-277v], L142[120-277v], L144[120v], L146[120v]) PAR30: (L148[120-277v], L150[120-277v], L152[120v], L154[120v]) PAR38: (L156[120-277v], L158[120-277v], L162[120v], L164[120v]) MR16 Super Saver LED (L106, 108, 110, L114, L116, L118, L119, L124, L126, L128 [120v])
	LUMENS	3w MR16: 270lm, 5w MR16 450lm, 7w MR16: 550lm, PAR20: 600lm, PAR30: 1000lm, PAR38: 1350lm
	CCT	MR16: 3w (2700K), 5w (2700K), 7w (2700K) PAR20: 3000K, PAR30: 3000K, PAR38: 3000K
	WIRING	120v: 48" 18AWG black, white, and green (ground) 120v-277v: 48" 18AWG black, white, and green (ground)
	GASKET	Close cell sponge, 4.75" square x .190"th, center cut out, 2 holes, PSA 1-side
	SOCKET	E26 medium base (For PAR versions only), GU10 (MR16 versions only)
	BRACKET	Medium base 120v adjustable bracket assembly (For PAR versions only)
EXTERNALS	BUCKET	Composite BMC Bronze well light bucket
	MATERIALS	Aluminum, Brass, Composite
	LENS	Convex glass lens, clear tempered, 155mm x 28mm, ±.5mm
	FINISH	Aluminum: Standard finishes (BLT/BRT: Black or Bronze texture) More finishes available, see page 5 Brass: Standard unfinished (Acid treatments available, see page 5)
	LISTINGS	IP65. Indoor/Outdoor use. Suitable for wet locations


IP65


Intertek


Click Icon to Download



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT: TYPE: DATE:

CATALOG NUMBER:

ACCESSORIES

(Configure and order accessories separately)

Lenses



FA35SL20MDRED
(Red Color Glass Lens)



FA35SL20MDAMBER
(Amber Color Glass Lens)



FA35SL20MDGREEN
(Green Color Glass Lens)



FA35SL20MDBLUE
(Blue Color Glass Lens)



FA10SGSL20MDSB
(Sand Blasted Lens)




FA08SL20MD
(Hex Cell Louver)




FA10SGSL20MD
(Clear Flat Glass Lens)

Lens Holders & Eyebrows



FA133-BLT/-BRS
(Blue Color Glass Lens)



FA134-BLT/-BRS
(Blue Color Glass Lens)




FA135-BLT / -BRS
(Blue Color Glass Lens)

Trims




FA133MDTR2
(TR2 Aiming Trim)



FA133MDTR1
(TR1 Stationary Trim)



FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:

LED DATA

120v PAR DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L144 (PAR20)	3000K	80+	8	600	25,000	120V
L146 (PAR20)	3000K	80+	8	600	25,000	120V
L152 (PAR30)	3000K	80+	10	1000	25,000	120V
L154 (PAR30)	3000K	80+	10	1000	25,000	120V
L162 (PAR38)	3000K	80+	15	1350	25,000	120V
L164 (PAR38)	3000K	80+	15	1350	25,000	120V

120-277v PAR DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L140 (PAR20)	3000K	80+	8	600	25,000	120-277V
L142 (PAR20)	3000K	80+	8	600	25,000	120-277V
L148 (PAR30)	3000K	80+	10	1000	25,000	120-277V
L150 (PAR30)	3000K	80+	10	1000	25,000	120-277V
L156 (PAR38)	3000K	80+	15	1350	25,000	120-277V
L158 (PAR38)	3000K	80+	15	1350	25,000	120-277V

120v MR16 LED DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L108 (MR16)	2700K	83+	3	270	50,000	120V
L116 (MR16)	2700K	83+	5	450	50,000	120V
L126 (MR16)	2700K	83+	7	550	50,000	120V

FINISHES

STANDARD FINISHES



Black Texture
(-BLT)



Bronze Texture
(-BRT)

PREMIUM FINISHES



Black Magic
(-BKM)



Dark Bronze
(-DBZ)

CUSTOM FINISHES

Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

OPTIONAL POWDER COAT FINISHES



Chrome Powder
(-CPR)



Hunter Texture
(-HTX)



Luna
(-LUN)



Mineral Bronze
(-BRZ)



Rubbed Verde
(-RBV)



Rust
(-RST)



Stucco
(-STU)



Weathered Iron
(-WIR)



Weathered Brown
(-WBR)




White Gloss
(-WHT)



White Texture
(-WTX)

ACID FINISHES

Brass and Copper fixtures only



Acid Rust
Brass (-BAR)
Copper (-CAR)



Black Acid Treatment
Brass (-BAT)
Copper (-BAT)



Acid Verde
Brass (-BAV)
Copper (-CAV)



SCAN FOR FULL SIZE
COLOR SWATCHES



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM