WAC LIGHTING®

2026 NEW LANDSCAPE PRODUCT OFFERINGS

ABOUT LANDSCAPE LIGHTING

WAC Lighting redefines what outdoor illumination can achieve, blending advanced engineering with purposeful design to shape landscapes after dark. From subtle accents that reveal texture and form to bold gestures that anchor pathways, water features, and architectural moments, every element in the collection is crafted to elevate the beauty, safety, and usability of exterior spaces while maintaining a clean, stylish presence during daylight hours.

Rooted in innovation and built for real-world performance, these luminaires offer precise optical control, selectable color temperatures, rugged construction, and seamless integration with the WAC Colorscaping ecosystem. Whether enhancing a private residence, a hospitality environment, or expansive public grounds, WAC Lighting delivers landscape lighting solutions that inspire design, simplify installation, and endure the elements with confidence.

Table of Contents

Colorscaping Technology ..... 4 - 5
Underwater Spot - Stainless Steel ..... 6 - 7
Underwater Spot - Natural Brass ..... 8 - 9
Deck & Patio ..... 10 - 11
Brough ..... 14 - 15
Standup ..... 16 - 17
Hilyne ..... 18 - 19
Grand Ledge ..... 20 - 21
Decibel 22
Passage 23
Even ..... 24 - 25
Altar ..... 26 - 27
Cubical ..... 28 - 29
Transformer & Accessories ..... 30 - 31

COLORSCAPING®

ARTFUL ILLUMINATION FOR THE OUTDOORS

Colorscaping, WAC Group's advanced outdoor lighting technology, transforms your landscape into a dynamic, expressive environment with tunable white and full-spectrum color. From subtle moods to bold visual statements, you can shape every tree, wall, path, and outdoor room to match the moment. Warm tones invite relaxation and dining, cooler whites improve nighttime clarity, and rich colors highlight plant life or architectural features.

TECHNIQUES TO ILLUMINATE YOUR LANDSCAPE WITH COLORSCAPING

- Tune white light to make evergreen trees greener and Japanese maples redder
- Position luminaires in tall trees to cast a moonlighting effect on the ground and watch shadows change with the wind
- For outdoor entertaining and nighttime activities, use warm white light to deliver an inviting vibe and relaxing atmosphere
- For safety, security, or simply a stunning look, use cooler color temperatures to increase the visibility of your outdoor space
- Create five or more different scenes in one evening, especially during the holiday seasons
- Spotlight distinctive vegetation in unique colors to complement foliage changes
- Make a white house "whiter" by lighting it to stand out against other homes
- Schedule beautiful sunrise and sunset scenes to enhance the warmth and beauty of your home

INNOVATIVE TRANSFORMER CONTROL PANEL

Onboard Control Panel

Control Colorscaping products using standard 2-conductor landscape wiring

Control legacy / white light products on the same transformer with On/Off and dimming control

Smart Magnetic Transformer - PATENTED

Stainless Steel, 15VAC output, IP65 rated, UL 1838 listed
See transformer spec sheet for details and its accessories

Ordering Chart

150W Max	300W Max
8150CS-TRN-SS	**8300CS-TRN-SS**

SMART SIMPLICITY, POWERFUL CONTROL

Installation is simple. Standard two-conductor landscape wiring lets each luminaire be addressed individually for brightness and color, while the Smart Magnetic Transformer automatically identifies every fixture and zone to streamline setup. With the MyWAC app, you can create scenes, set schedules, or shift the entire property's mood instantly, whether controlling fixtures one by one or in perfect unison across plantings, pathways, patios, and architectural features. Colorscaping enhances curb appeal, elevates outdoor living, and gives you effortless creative control with a single tap.

QUICK FIXTURE DISCOVERY

Automatically identifies each luminaire so fixtures can be added, changed, or paired with the correct transformer at the push of a button.

FAST SETUP & TESTING

Onboard controls let you cycle through tunable white presets and primary colors for instant verification in the field.

SMART, ROBUST DESIGN

Available in 150W and 300W models with robust wiring support and built-in surge protection.

FLEXIBLE CONTROL OPTIONS

Operate via Wi-Fi, wired Ethernet, or DMX. Control fixtures independently, in groups, or as part of a scene.

INDIVIDUAL FIXTURE CONTROL

Using standard two-conductor landscape wiring, each luminaire can be adjusted for brightness and color.

LEGACY-COMPATIBLE

Connect existing landscape fixtures to bring them into the Colorscaping system for unified scheduling and dimming through the MyWAC app.

works with alexa

works with Google Home

WI-FI WALLSTATION

A four-scene wallstation with built-in On/Off control and dimming.
Easily customize all functions through the MyWAC app

Model	Finish	Input	L	W	H	Description
LED-WCT-WT	White	120-230VAC	4⅝"	2¾"	1⅝"	Easy installation and a simple way to control lighting. The sleek, aesthetic designs are suitable for all interior locations. Multi-scene selection, Up and Down brightness dimming control, dedicated On/Off button. Suitable for standard single NEMA wall box. Setup and configuration via MyWAC app, no physical adjustment needed. Wi-Fi communication is required.



676 listed

IP68

PATENTED

UNDERWATER SPOT – STAINLESS STEEL

COLORSCAPING™

This fully submersible stainless-steel spotlight delivers vibrant, tunable illumination underwater, ideal for ponds, fountains, and wet-area features. Its long lead wire, watertight construction, and easy-mount accessory make installation simple in both submerged and surface applications.

- Can be grouped and controlled together
- Contain discrete warm and cool white LEDs for full tunability
- Can generate tens of thousands of different colors
- Fixtures from multiple transformers can be controlled as a single group in the app

Input	Power	Brightness		CRI	Rated Life
15VAC	4.5W / 5.5VA	White Red Green Blue	230lm 60lm 155lm 30lm	85	50,000 hours



Includes stainless steel easy mount accessory for use with underwater applications and above ground on any surface



Designed for underwater or wet application
30ft long lead wire

Ordering Chart

15V	Fixture Finish Options:	
2031-CS	**SS**	Stainless Steel

Example: **2031-CSSS**
Colorscaping Smart Transformer is required

UNDERWATER SPOT – NATURAL BRASS

PATENTED

IP68

c UL us
676 listed

COLORSCAPING

Built from solid cast brass, this underwater spotlight adds timeless durability and warm architectural presence to fountains, ponds, and shallow water features. Factory-sealed for long-term reliability, it provides bright, tunable illumination for tailored underwater effects.

- Machined brass thumb screws
- Cast brass construction
- Underwater in depths up to 3'
- Factory-sealed, watertight fixture
- 30' long lead wire
- Limited lifetime warranty

Input	Power	Brightness		CRI	Rated Life
15VAC	10.5W / 11VA	White	400lm	85	50,000 hours
		Red	180lm		
		Green	335lm		
		Blue	60lm		



Ordering Chart

15V	Fixture Finish Options:	
5511-CS	**NB**	Natural Brass

Example: **5511-CSNB**
Detachable shroud and
direct-burial gel filled wire nuts
Colorscaping Smart Transformer is required

Accessories

Optics

LENS-20-FR	Frosted Lens
LENS-20-SPR	Beam Spread Lens



1838 listed

IP66

ADA

PATENTED

Designed for steps, decks, and railing applications, this low-profile luminaire casts a soft, diffused glow that enhances safety and ambiance. Durable metal construction and included gel filled wire nuts ensure fast, reliable installation in outdoor environments.

- Translucent lens provides for uniform diffused light output
- Solid die-cast brass or corrosion resistant aluminum alloy
- 10' lead wire and direct-burial gel filled wire nuts included



Input	Power	Brightness		CRI	Rated Life
15VAC	2.8W / 4.0VA	White	80lm	85	50,000 hours
		Red	19lm		
		Green	60lm		
		Blue	10lm		

Ordering Chart

15V	Fixture Finish Options:
3051-CS	**BK** Black on Aluminum **BZ** Bronze on Aluminum **BBR** Bronze on Brass **WT** White on Aluminum

Example: **3051-CSBK**

Colorscaping Smart Transformer Required (order separately)

BROUGH
PATH LIGHT

IP66

1838 listed

This modern path light features a slender form factor and a directional head that adjusts ±90° for precise lighting along walkways and landscapes. With selectable CCT and rugged aluminum construction, it delivers flexible performance for both residential and hospitality paths.



- Corrosion resistant aluminum alloy
- Adjustable directional light head ±90°
- Factory-sealed, watertight fixture
- 5 CCT Selectable - 2700K/3000K/3500K/4000K/5000K



Input	Power	Brightness	Color Temp	CRI	Rated Life
9-15VAC	6.8W / 10.5VA	Up to 305lm	2700K, 3000K, 3500K 4000K, 5000K	90	50,000 hours

Ordering Chart

12V
6121-5CS

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum

Example: **6121-5CSBK**
14" Mounting stake, 6 foot lead wire, and direct-burial gel filled wire nuts included
Transformer Required (order separately)

Accessories

14" Mounting Stake	Surface Mount Flange/Stake	Guardian Mount
9000-ST14-BZ	**5000-SCP-BK** **5000-SCP-BZ**	**9000-SP9-BZ**

1838 listed

IP66

STANDUP
PATH LIGHT



The Standup Path Light offers a clean, architectural silhouette with soft indirect illumination that minimizes glare along pathways and planted areas. Its selectable CCT and watertight construction provide long-lasting versatility for any landscape design.

- Corrosion resistant aluminum alloy
- Factory-sealed, watertight fixture
- Soft indirect illumination
- 5 CCT Selectable - 2700K/3000K/ 3500K/4000K/5000K

Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	6.8W - 10.5VA	Up to 110lm	2700K, 3000K, 3500K 4000K, 5000K	90	50,000 hours



Accessories

14" Mounting Stake	Surface Mount Flange/Stake	Guardian Mount
9000-ST14-BZ	**5000-SCP-BK** **5000-SCP-BZ**	**9000-SP9-BZ**

Ordering Chart

12V
6131-5CS

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum

Example: **6131-5CSBK**
14" Mounting stake, 6 foot lead wire, and direct-burial gel filled wire nuts included
Transformer Required (order separately)

HILYNE
PATH LIGHT

IP66

1838 listed

The Hilyne Path Light pairs a tall, minimalist profile with a slim vertical aperture that emits soft, glare-controlled illumination. Built for durability with selectable CCT, it elegantly defines walkways and gardens with refined simplicity.

- Corrosion resistant aluminum alloy
- Factory-sealed, watertight fixture
- Soft indirect illumination
- 5 CCT Selectable - 2700K/3000K/3500K/4000K/5000K





Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	6.8W / 10.5VA	200lm	2700K, 3000K, 3500K 4000K, 5000K	90	50,000 hours

Ordering Chart

12V	Fixture Finish Options:	
6141-5CS	**BK**	Black on Aluminum
	BZ	Bronze on Aluminum

Example: **6141-5CSBZ**
14" Mounting stake, 6 foot lead wire, and direct-burial gel filled wire nuts included
Transformer Required (order separately)

Accessories		
14" Mounting Stake	Surface Mount Flange/Stake	Guardian Mount
9000-ST14-BZ	**5000-SCP-BK** **5000-SCP-BZ**	**9000-SP9-BZ**

GRAND LEDGE 12V/120V-277V (CHECK VOLTAGE)

BOLLARD

1838 listed

IP66



6671 / 6672



6661 / 6662

6661 / 6662 **6671 / 6672**

This linear bollard delivers high-output, Type II pathway illumination for large residential and commercial environments. With selectable CCT and dual-voltage flexibility, it offers powerful performance and clean visual lines for plazas, pathways, and campuses.

- Sleek linear design blends seamlessly into pathways while providing soft, even illumination
- Factory-sealed, watertight fixture
- Corrosion resistant aluminum alloy
- Type II lighting distribution
- 5 CCT Selectable - 2700K/3000K/3500K/4000K/5000K

	Input	Power	Brightness	Color Temp	CRI	Rated Life
12V	9-15VAC	24W / 24VA	Up to 1780lm	2700K, 3000K, 3500K 4000K, 5000K	90	50,000 hours
				Transformer Required (order separately)		
120V 277V	120-277VAC	23W	Up to 1780lm	2700K, 3000K, 3500K 4000K, 5000K	90	50,000 hours



Mounting accessory included

12V



M6000-STAKE

120V/277V



M6630-CON-KIT

Ordering Chart

	12V	120V-277V
30"	**6661-5CS**	**6662-5CS**
42"	**6671-5CS**	**6672-5CS**

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum

Example: **6661-5CSBZ**

DECIBEL
BOLLARD

IP66

1838 listed

A compact, sculptural bollard with a smooth curved form, the Decibel provides warm, indirect illumination that complements any landscape style. Its one-piece die-cast body and sealed design ensure durability in demanding outdoor settings.

- Simple design with small form factor, natural fit to any landscape
- One-piece die-cast aluminum body





Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	8.5W / 10VA	Up to 365lm	2700K, 3000K	90	50,000 hours

Ordering Chart

12V
6701-27
6701-30

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum
GT	Granite on Aluminum

Example: **6701-27GT**
6 foot lead wire,
and direct-burial gel filled wire nuts included
Transformer Required (order separately)

Mounting accessory included
12V

M6000-STAKE

PASSAGE
BOLLARD

1838 listed

IP66



The Passage Bollard features a soft, enveloping downward glow created by its recessed aperture, ideal for walkways and gathering spaces. Its simple geometric form and robust construction make it both visually subtle and highly reliable.

- One-piece die-cast aluminum body
- Factory-sealed, watertight fixture
- Soft indirect illumination



Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	8.5W / 10VA	345lm	2700K, 3000K	90	50,000 hours

Mounting accessory included
12V

M6000-STAKE

Ordering Chart

12V
6702-27
6702-30

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum
GT	Granite on Aluminum

Example: **6702-30BZ**
6 foot lead wire,
and direct burial-gel filled wire nuts included
Transformer Required (order separately)

EVEN
BOLLARD

IP66

1838 listed

With a sleek linear design and even light distribution, the Even Bollard creates clean, consistent illumination along paths and open landscapes. Its watertight construction and constant-output driver deliver dependable performance across voltage variations.

- Sleek linear design blends seamlessly into pathways while providing soft, even illumination
- Factory sealed, watertight fixture
- Constant output for 9V-15V input





Input	Power	Brightness	Color Temp	CRI	Rated Life
9-15VAC	8.5W /10VA	Up to 510lm	2700K, 3000K	90	50,000 hours

Ordering Chart

12V	Fixture Finish Options:	
6703-27 **6703-30**	**BK** **BZ** **GT**	Black on Aluminum Bronze on Aluminum Granite on Aluminum

Example: **6703-27GT**
6 foot lead wire,
and direct burial-gel filled wire nuts included
Transformer Required (order separately)

Mounting accessory included
12V

M6000-STAKE



1838 listed

IP66

ALTAR
BOLLARD



The Altar Bollard's center-lit design casts a symmetrical, multidirectional glow that enhances both pathways and open landscape zones.
Its compact form and sealed construction make it a practical solution where steady area illumination is needed.

- Simple design with small form factor, natural fit to any landscape
- Sturdy center mount design works well in applications where area illumination is desired

Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	8.5W / 10VA	Up to 385lm	2700K, 3000K	90	50,000 hours



Mounting accessory included
12V

M6000-STAKE

Ordering Chart

12V
6704-27 **6704-30**

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum
GT	Granite on Aluminum

Example: **6704-27GT**
6 foot lead wire,
and direct-burial gel filled wire nuts included
Transformer Required (order separately)

CUBICAL
BOLLARD

IP66

1838 listed

Featuring a tall, monolithic design with a recessed light chamber, the Cubical Bollard adds modern sophistication to walkways and architectural surroundings. Its indirect illumination and rugged aluminum body ensure long-term performance with a refined aesthetic.

- Corrosion-resistant aluminum alloy
- Factory sealed, watertight fixture
- Soft indirect illumination





Input	Power	Brightness	Color Temp	CRI	Rated Life
9 - 15VAC	8.5W / 10VA	310lm	2700K, 3000K	90	50,000 hours

Ordering Chart

12V
6705-27
6705-30

Fixture Finish Options:

BK	Black on Aluminum
BZ	Bronze on Aluminum
GT	Granite on Aluminum

Example: **6705-30BK**

6 foot lead wire,
and direct burial-gel filled wire nuts included
Transformer Required (order separately)

Mounting accessory included
12V

M6000-STAKE



TRANSFORMER COLORSCAPING

TRANSFORMER

	Smart Magnetic Transformer	150W MAX: **8150CS-TRN-SS** 300W MAX: **8300CS-TRN-SS**	Stainless Steel, 15VAC output, IP65 rated, UL 1838 listed

WALLSTATION

	Scene Dimming Wallstation	**LED-WCT-WT**	Easy installation and a simple way to control lighting. The sleek, aesthetic designs are suitable for all interior locations. Wi-Fi required.

TRANSFORMER LANDSCAPE

From fully adjustable accent lights to submersible in-grounds, every product is engineered to work seamlessly as part of a unified system. Whether you're lighting a small garden jewel or a full outdoor oasis, everything connects back to the same transformer.

- 12V to 15V taps
- Knockouts for power and photo sensor connections
- 3-prong outlet for timer
- Outdoor-rated stainless steel transformer with an outdoor-rated three-prong power plug.

Model	
9075-TRN-SS	75W Max Dimensions: 13.97" L x 5.35"W x 5.63"H
9150-TRN-SS	150W Max Dimensions: 18.90" L x 6.69"W x 6.30"H
9300-TRN-SS	300W Max Dimensions: 18.90" L x 6.69"W x 6.30"H
9600-TRN-SS	600W Max (2 x 300W outputs) Dimensions: 14.49" L x 10.08"W x 5.94"H

IP65

c UL us
1838 listed

WARRANTY

Landscape Products, as defined by products offered at www.waclighting.com/landscape, carry a 10 year warranty on low voltage electronics, 5 years on 120V electronics, 5 years on outdoor finishes on aluminum housings, 10 years on outdoor finishes on brass housings, lifetime on stainless steel, under normal use.

Visit **waclighting.com/warranty** for full warranty information.

ACCESSORIES LANDSCAPE

External Low Voltage MLV Dimmer		**9000-MLV-BK**	Black on Aluminum	**Max Load:** 150W at 12VAC **Minimum load:** None **Capacity:** 13A **Input Voltage:** 12-15VAC
Mechanical Timer		**9000-MTI-WT**	White	Connect within the transformer
Photosensor		**9000-PCH-GY**	1000VA Max	Attached directly to the transformer
Photosensor - Remote		**9000-PCR-GY**	1000VA Max	If transformer is located in a shady spot, this photosensor has a 10 foot cord and a stainless steel bracket to secure in a sunny area
Direct-burial Water proof Wire Nuts		**9020-WNT-BK**		Silicone filled wire nut with gasket (Pack of 20pcs)
12V Direct-burial Outdoor Cable		**9100-12G-BK** **9250-12G-BK** **9500-12G-BK**	100 feet 12 gauge 250 feet 12 gauge 500 feet 12 gauge	

NOTES:

Headquarters

Tel: 800.526.2588
Fax: 800.526.2585

44 Harbor Park Dr
Port Washington, NY 11050

South East

1600 Distribution Ct
Lithia Springs, GA 30122

Central

1700 South J Elmer Freeway
Suite 100
Cedar Hill, TX 75104

West

1750 S Archibald Ave
Ontario, CA 91761

Consult our manufacturing facility to take advantage of our custom capabilities for large quantities. For up-to-date product specifications and assistance please visit **waclighting.com** or call **1-800-526-2588**

This catalog includes patented and patent-pending products or features. We will not hesitate to enforce our intellectual property rights through injunctive relief and seek further relief through damages if we have reason to believe the patents are being infringed.

© 2026 WAC Group
All rights reserved. This catalog is copyrighted and WAC Group reserves the right to use any and all measures available to it under the law against anyone who copies or derives from its copyrighted work.

WAC GROUP

TECHNOLOGY ILLUMINATED

WAC Landscape Lighting technology is protected by several patents and pending patent applications, including U.S. Patent Nos. 9,784,440, 10,190,757, 10,208,935, 10,323,832, 10,330,294, 10,465,888, 10,571,101, 10,598,358, 10,920,971, 10,928,045, 10,941,924, 10,962,209, 10,969,088, 10,989,401, 11,199,319, 11,274,816, 11,280,483, 11,408,597, 11,460,177, 11,686,459, 11,719,422, 11,940,135, 12,075,545, 12,477,642.

WAC will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe its patents are being infringed.

Copyright © 2026 WAC. All rights reserved. This catalog is copyrighted and WAC will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

WAC retains the right to modify the design of its products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

800.526.2588 | WACLIGHTING.COM/LANDSCAPE | WACLIGHTING.COM/COLORSCAPING