

WAC LIGHTING

Uptown

Picture Light 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PL-52017 17"	3000K	BK Black BN Brushed Nickel	13W	1048	883

Example: **PL-52017-BN**

For custom requests please contact customs@wacighting.com

FEATURES


- Light source rotates 180 degrees
- Slim profile, contemporary design
- Conversion plate for 4" J box included
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-5%,TRIAC: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL,Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser




FINISHES:



Black

Brushed Nickel

LINE DRAWING:



WAC LIGHTING

Uptown

Picture Light 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PL-52025 25"	3000K	BK Black BN Brushed Nickel	16W	1326	926

Example: **PL-52025-BN**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES


- Light source rotates 180 degrees
- Slim profile, contemporary design
- Conversion plate for 4" J box included
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-5%,TRIAC: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser




FINISHES:



Black

Brushed Nickel

LINE DRAWING:



WAC LIGHTING

Uptown

Picture Light 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PL-52034 34"	3000K	BK Black BN Brushed Nickel	25W	1772	1329

Example: **PL-52034-BN**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES


- Light source rotates 180 degrees
- Slim profile, contemporary design
- Conversion plate for 4" J box included
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-5%,TRIAC: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL,Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with acrylic diffuser



FINISHES:



Black

Brushed Nickel

LINE DRAWING:

